

# **Data Mining Cluster Analysis: Basic Concepts and Algorithms**

---

Lecture Notes for Chapter 7


Introduction to Data Mining, 2<sup>nd</sup> Edition

by

Tan, Steinbach, Karpatne, Kumar

# What is Cluster Analysis?

- Finding groups of objects such that the objects in a group will be similar (or related) to one another and different from (or unrelated to) the objects in other groups



# Applications of Cluster Analysis


## ● Understanding

- Group related documents for browsing, group genes and proteins that have similar functionality, or group stocks with similar price fluctuations

	<i>Discovered Clusters</i>	<i>Industry Group</i>
<b>1</b>	Applied-Matl-DOWN,Bay-Network-Down,3-COM-DOWN, Cabletron-Sys-DOWN,CISCO-DOWN,HP-DOWN, DSC-Comm-DOWN,INTEL-DOWN,LSI-Logic-DOWN, Micron-Tech-DOWN,Texas-Inst-Down,Tellabs-Inc-Down, Natl-Semiconduct-DOWN,Oracl-DOWN,SGI-DOWN, Sun-DOWN	Technology1-DOWN
<b>2</b>	Apple-Comp-DOWN,Autodesk-DOWN,DEC-DOWN, ADV-Micro-Device-DOWN,Andrew-Corp-DOWN, Computer-Assoc-DOWN,Circuit-City-DOWN, Compaq-DOWN, EMC-Corp-DOWN, Gen-Inst-DOWN, Motorola-DOWN,Microsoft-DOWN,Scientific-Atl-DOWN	Technology2-DOWN
<b>3</b>	Fannie-Mae-DOWN,Fed-Home-Loan-DOWN, MBNA-Corp-DOWN,Morgan-Stanley-DOWN	Financial-DOWN
<b>4</b>	Baker-Hughes-UP,Dresser-Inds-UP,Halliburton-HLD-UP, Louisiana-Land-UP,Phillips-Petro-UP,Unocal-UP, Schlumberger-UP	Oil-UP

## ● Summarization

- Reduce the size of large data sets




Clustering precipitation in Australia

# What is not Cluster Analysis?



---

- Simple segmentation
  - Dividing students into different registration groups alphabetically, by last name
- Results of a query
  - Groupings are a result of an external specification
  - Clustering is a grouping of objects based on the data
- Supervised classification
  - Have class label information
- Association Analysis
  - Local vs. global connections



# Notion of a Cluster can be Ambiguous





How many clusters?




Six Clusters



Two Clusters



Four Clusters



# Types of Clusterings


---

- A **clustering** is a set of clusters
- Important distinction between **hierarchical** and **partitional** sets of clusters
- Partitional Clustering
  - A division of data objects into non-overlapping subsets (clusters) such that each data object is in exactly one subset
- Hierarchical clustering
  - A set of nested clusters organized as a hierarchical tree



# Partitional Clustering

---

---



Original Points




A Partitional Clustering


# Hierarchical Clustering

---

---



**Traditional Hierarchical Clustering**



**Traditional Dendrogram**



# Other Distinctions Between Sets of Clusters

---

- Exclusive versus non-exclusive
  - In non-exclusive clusterings, **points may belong to multiple clusters.**
  - Can represent multiple classes or '**border**' points
- Fuzzy versus non-fuzzy
  - In fuzzy clustering, a point belongs to every cluster with some weight between 0 and 1
  - Weights must sum to 1
  - **Probabilistic** clustering has similar characteristics
- Partial versus complete
  - In some cases, we only want to cluster some of the data
- Heterogeneous versus homogeneous
  - Clusters of widely different sizes, shapes, and densities

# Types of Clusters

---


- Well-separated clusters
- Center-based clusters
- Contiguous clusters
- Density-based clusters
- Property or Conceptual
- Described by an Objective Function

# Types of Clusters: Well-Separated

---

- Well-Separated Clusters:

- A cluster is a set of points such that any point in a cluster is closer (or more similar) to every other point in the cluster than to any point not in the cluster.




**3 well-separated clusters**

# Types of Clusters: Center-Based

---

- Center-based





- A cluster is a set of objects such that an object in a cluster is closer (more similar) to the “center” of a cluster, than to the center of any other cluster
- The center of a cluster is often a **centroid**, the average of all the points in the cluster, or a **medoid**, the most “representative” point of a cluster



**4 center-based clusters**

# Types of Clusters: Contiguity-Based

- Contiguous Cluster (Nearest neighbor or Transitive)
  - Each point is closer to at least one point in its cluster than to any point in another cluster.
  - Graph based clustering




- This approach can **have trouble when noise is present** since a small bridge of points can **merge two distinct clusters**

**8 contiguous clusters**

# Types of Clusters: Density-Based

- Density-based

- A cluster is a dense region of points, which is separated by low-density regions, from other regions of high density.
- Used when the clusters are irregular or intertwined, and when noise and outliers are present.



**6 density-based clusters**

# Types of Clusters: Objective Function

---

- Clusters Defined by an Objective Function
  - Finds clusters that **minimize** or **maximize an objective function**.
  - Enumerate all possible ways of dividing the points into clusters and evaluate the 'goodness' of each potential set of clusters by using the given objective function.  
(NP Hard)
  - Can have global or local objectives.
    - ◆ Hierarchical clustering algorithms typically have local objectives
    - ◆ Partitional algorithms typically have global objectives

# Characteristics of the Input Data Are Important

---

- Type of proximity or density measure
  - Central to clustering
  - Depends on data and application
- Data characteristics that affect proximity and/or density are
  - Dimensionality
    - ◆ Sparseness
  - Attribute type
  - Special relationships in the data
    - ◆ For example, autocorrelation
  - Distribution of the data
- Noise and Outliers
  - Often interfere with the operation of the clustering algorithm



# Clustering Algorithms

---

- K-means and its variants
- Hierarchical clustering
- Density-based clustering


# K-means Clustering

---


- Partitional clustering approach
- Number of clusters,  $K$ , must be specified
- Each cluster is associated with a **centroid** (center point)
- Each point is assigned to the cluster with the **closest centroid**
- The basic algorithm is very simple

- 
- 1: Select  $K$  points as the initial centroids.
  - 2: **repeat**
  - 3:   Form  $K$  clusters by assigning all points to the closest centroid.
  - 4:   Recompute the centroid of each cluster.
  - 5: **until** The centroids don't change
-

# Example of K-means Clustering



# Example of K-means Clustering



# K-means Clustering – Details

---


- Initial centroids are often chosen randomly.
  - Clusters produced vary from one run to another.
- The centroid is (typically) the mean of the points in the cluster.
- ‘Closeness’ is measured by Euclidean distance, cosine similarity, correlation, etc.
- K-means will converge for common similarity measures mentioned above.
- Most of the convergence happens in the first few iterations.
  - Often the stopping condition is changed to ‘Until relatively few points change clusters’
- Complexity is  $O(n * K * I * d)$ 
  - $n$  = number of points,  $K$  = number of clusters,  $I$  = number of iterations,  $d$  = number of attributes

# Evaluating K-means Clusters




- Most common measure is Sum of Squared Error (SSE)
  - For each point, the error is the distance to the nearest cluster
  - To get SSE, we square these errors and sum them.

$$SSE = \sum_{i=1}^K \sum_{x \in C_i} dist^2(m_i, x)$$

- $x$  is a data point in cluster  $C_i$  and  $m_i$  is the representative point for cluster  $C_i$ 
  - can show that  $m_i$  corresponds to the center (mean) of the cluster
- Given two sets of clusters, we prefer the one with the smallest error
- One easy way to reduce SSE is to increase  $K$ , the number of clusters
- A good clustering with smaller  $K$  can have a lower SSE than a poor clustering with higher  $K$



# Two different K-means Clusterings




# Limitations of K-means

---


- K-means has problems when clusters are of differing
  - Sizes
  - Densities
  - Non-globular shapes
- K-means has problems when the data contains outliers.



# Limitations of K-means: Differing Sizes




Original Points




K-means (3 Clusters)

# Overcoming K-means Limitations




**Original Points**




**K-means Clusters**

One solution is to use many clusters.  
Find parts of clusters, but need to put together.

# Limitations of K-means: Differing Density




Original Points




K-means (3 Clusters)

# Overcoming K-means Limitations




Original Points




K-means Clusters

# Limitations of K-means: Non-globular Shapes




**Original Points**




**K-means (2 Clusters)**

# Overcoming K-means Limitations




**Original Points**



**K-means Clusters**

# Empty Clusters

- K-means can yield empty clusters



# Handling Empty Clusters

---

- Basic K-means algorithm can yield empty clusters
- Several strategies
  - Choose a point and assign it to the cluster
    - ◆ Choose the point that contributes most to SSE
    - ◆ Choose a point from the cluster with the highest SSE
- If there are several empty clusters, the above can be repeated several times.



# Pre-processing and Post-processing

---


- Pre-processing

- Normalize the data
- Eliminate outliers


- Post-processing

- Eliminate small clusters that may represent outliers
- Split 'loose' clusters, i.e., clusters with relatively high SSE
- Merge clusters that are 'close' and that have relatively low SSE
- Can use these steps during the clustering process
  - ◆ ISODATA


# Importance of Choosing Initial Centroids




# Importance of Choosing Initial Centroids



# Importance of Choosing Initial Centroids ...



# Importance of Choosing Initial Centroids ...



# Problems with Selecting Initial Points

- If there are  $K$  'real' clusters then the chance of selecting one centroid from each cluster is small.
  - Chance is relatively small when  $K$  is large
  - If clusters are the same size,  $n$ , then


$$P = \frac{\text{number of ways to select one centroid from each cluster}}{\text{number of ways to select } K \text{ centroids}} = \frac{K!n^K}{(Kn)^K} = \frac{K!}{K^K}$$

- For example, if  $K = 10$ , then probability =  $10!/10^{10} = 0.00036$
- Sometimes the initial centroids will readjust themselves in 'right' way, and sometimes they don't
- Consider an example of five pairs of clusters

# 10 Clusters Example





---

---



**Starting with two initial centroids in one cluster of each pair of clusters**


# 10 Clusters Example



**Starting with two initial centroids in one cluster of each pair of clusters**







# 10 Clusters Example



**Starting with some pairs of clusters having three initial centroids, while other have only one.**

# 10 Clusters Example



Starting with some pairs of clusters having three initial centroids, while other have only one.

# Solutions to Initial Centroids Problem

---

- Multiple runs
  - Helps, but probability is not on your side
- Sample and use hierarchical clustering to determine initial centroids
- Select more than  $k$  initial centroids and then select among these initial centroids
  - Select most widely separated
- Postprocessing
- Generate a larger number of clusters and then perform a hierarchical clustering
- Bisecting K-means
  - Not as susceptible to initialization issues

# Updating Centers Incrementally

---

- In the basic K-means algorithm, centroids are updated after all points are assigned to a centroid
- An alternative is to update the centroids after each assignment (incremental approach)
  - Each assignment updates zero or two centroids
  - More expensive
  - Introduces an order dependency
  - Never get an empty cluster
  - Can use “weights” to change the impact

# Bisecting K-means

---

- Bisecting K-means algorithm
  - Variant of K-means that can produce a partitional or a hierarchical clustering

---

```
1: Initialize the list of clusters to contain the cluster containing all points.
2: repeat
3:   Select a cluster from the list of clusters
4:   for  $i = 1$  to number_of_iterations do
5:     Bisect the selected cluster using basic K-means
6:   end for
7:   Add the two clusters from the bisection with the lowest SSE to the list of clusters.
8: until Until the list of clusters contains  $K$  clusters
```

---

CLUTO: <http://glaros.dtc.umn.edu/gkhome/cluto/cluto/overview>

# Bisecting K-means Example

---

---

