



Grid Computing





Elements of Grid Computing



- Resource sharing
 - Computers, data, storage, sensors, networks, ...
 - Sharing always conditional: issues of trust, policy, negotiation, payment, ...
- Coordinated problem solving
 - Beyond client-server: distributed data analysis, computation, collaboration,
- Dynamic, multi-institutional virtual organizations
 - Community overlays on classic org structures
 - Large or small, static or dynamic





Definitions



Resource

- An entity that may be shared
 - ▶ CPU, storage, data, software,...
- Not necessarily a physical entity
 - ▶Filesystem, bandwidth, thread pool...
- Defined in terms of interfaces and capabilities
 - ▶Open/close/read/write define the access methods to a filesystem
 - ▶Copy/delete/move/create/cat define the methods to manipulate data





Virtual Organizations



Components

- set of individual/institutions
- set of resources
- set of sharing rules
- Dynamic set of individuals and/or institutions defined by a shared goal and a set of sharing rules
- May vary in size, scope, duration and structure
 - Example: class students for cooperative lecture writing
 - Example: industrial consortium building a new aircraft
- The sharing is highly controlled, with resource providers and consumers defining clearly and carefully just what is shared







- Three physical organizations (A, B, C)
- Two virtual organizations (X, Y)







- Three physical organizations (A, B, C)
- Two virtual organizations (X, Y)















- Three physical organizations (A, B, C)
- Two virtual organizations (X, Y)














- Three physical organizations (A, B, C)
- Two virtual organizations (X, Y)





Multidisciplinary Design



Joint
Drug
Analysis

Y




MCSN - N. Tonellotto - Distributed Enabling Platforms



Scope of Grids









Grid Architecture



"Coordinating multiple resources": Ubiquitous infrastructure services, application-specific distributed services

"Sharing single resources": Negotiating access, controlling use

"Talking to things": Communication (Internet protocols) & security

"Controlling things locally": Access to & control of resources **Applications** Collective Resource Connectivity


Fabric





The Hourglass Model





I. Foster, "The Grid: A New Infrastructure for 21st Century Science," Physics Today, vol. 55, no. 2, pp. 42–47, 2002.





Fabric Layer



- Just what you would expect: the diverse mix of resources that may be shared
 - Individual computers, Condor pools, file systems, archives, metadata catalogs, networks, sensors, etc.
- Few constraints on low-level technology: connectivity and resource level protocols form the "neck in the hourglass"
- Defined by interfaces not physical characteristics





Connectivity Layer



- Communication
 - Internet protocols: IP, DNS, routing, etc.
- Security: Grid Security Infrastructure (GSI)
 - Uniform authentication, authorization, and message protection mechanisms in multi-institutional setting
 - Single sign-on, delegation, identity mapping
 - Public key technology, SSL, X.509, GSS-API
 - Supporting infrastructure: Certificate Authorities, certificate & key management, ...





Resource Layer



- Grid Resource Allocation Management (GRAM)
 - Remote allocation, reservation, monitoring, control of compute resources
- GridFTP protocol (FTP extensions)
 - High-performance data access & transport
- Grid Resource Information Service (GRIS)
 - Access to structure & state information
- Others emerging: Catalog access, code repository access, accounting, etc.
- All built on connectivity layer: GSI & IP





Collective Layer



- Index servers a.k.a. meta-directory services
 - Custom views on dynamic resource collections assembled by a community
- Resource brokers
 - Resource discovery and allocation
- Replica catalogs
- Replication services
- Co-reservation and co-allocation services
- Workflow management services
- etc...





Globus Toolkit



An example Grid middleware

http://www.globus.org/toolkit/

- A software toolkit addressing key technical problems in the development of Grid enabled tools, services, and applications
 - Offer a modular "bag of technologies"
 - Enable incremental development of Grid-enabled tools and applications
 - Implement standard Grid protocols and APIs (the "core" of the hourglass)
 - Is available under liberal open source license
- Now is evolving to Cloud middleware








Key Protocols










GT2 Protocols and Services









Grid Security



- Resources being used may be valuable & the problems being solved sensitive
- Resources are often located in distinct administrative domains
 - Each resource has own policies & procedures
- Set of resources used by a single computation may be large, dynamic, and unpredictable
 - Not just client/server, requires delegation
- It must be broadly available & applicable
- Standard, well-tested, well-understood protocols; integrated with wide variety of tools







Public Key Infrastructure



- PKI allows you to know that a given public key belongs to a given user
- PKI builds upon asymmetric encryption:
 - Each entity has two keys: public and private
 - Data encrypted with one key can only be decrypted with the other
 - The private key is known only to the owner
- The public key is given to the world encapsulated in a X.509










Grid Security Infrastructure








PKI for



GSI in Action



"Create Processes at A and B that Communicate & Access Files at C"







Grid Information Service




- Provide access to static and dynamic information regarding system components
- A basis for configuration and adaptation in heterogeneous, dynamic environments
- Resource Description Services
 - Supplies information about a specific resource
- Aggregate Directory Services
 - Supplies collection of information which was gathered from multiple resource description services
 - Customized naming and indexing





MDS Protocols and Services









Grid Resource Management



- Grid Resource Management System consists of :
 - Local resource management system (Resource Layer)
 - ▶ Basic resource management unit
 - ▶ Provide a standard interface for using remote resources
 - ▶ Grid Resource Allocation Manager (GRAM)
 - Global resource management system (Collective Layer)
 - ▶ Coordinate all Local resource management system within multiple or distributed Virtual Organizations (VOs)
 - ▶ Provide high-level functionalities to efficiently use all of resources
 - Job Submission
 - Resource Discovery and Selection
 - Scheduling
 - Co-allocation
 - Job Monitoring, etc.
 - ▶ e.g. Meta-scheduler, Resource Broker, etc.





Definitions




- Resource: entity able to execute one or more jobs on the behalf of the user
- Client: process using GRAM protocol to submit a job request
- Job: one or more processes being part of a job request
- Job request: a message containing the request and the specification for a job execution on a remote resource. A typical job request specifies:
 - When and where processes should be created
 - How and what processes to create
 - How to execute and terminate processes
- Gatekeeper: remote resources service managing incoming job requests (GT2)
- **Job Manager**: service instantiated by the gatekeeper to manage the execution and monitor the job's processes (GT2)



GRAM Protocols and Services









Grid Scheduling Levels




- Resource-level scheduler
 - low-level scheduler, local scheduler, local resource manager
 - scheduler close to the resource, controlling a supercomputer, cluster, or network of workstations, on the same local area network
 - Examples: Open PBS, PBS Pro, LSF, SGE
- Enterprise-level scheduler
 - Scheduling across multiple local schedulers belonging to the same organization
 - Examples: PBS Pro peer scheduling, LSF Multicluster
- Grid-level scheduler
 - Also known as super-scheduler, broker, community scheduler
 - Discovers resources that can meet a job's requirements
 - Schedules across lower level schedulers





Grid Scheduler





A Grid scheduler allows the user to specify the required resources and environment of the job without having to indicate the exact location of the resources





Grid Scheduler Activities





- 1. Authorization Filtering
- 2. Application Definition
- 3. Min. Requirement Filtering

Phase Two - System Selection

- 4. Information Gathering
 - 5. System Selection

Phase Three- Job Execution

- 6. Advance Reservation
 - 7. Job Submission
 - 8. Preparation Tasks
- 9. Monitoring Progress
 - 10 Job Completion
 - 11. Clean-up Tasks





Issues



- Resources may dynamically join and leave the Grid
- Not all currently unused resources are available to grid jobs
- Resource owner local policies can restrict maximum number of grid jobs allowed
- Hard to predict how long jobs will wait in a queue
- User information not accurate as mentioned before
- New jobs arrive that may surpass current queue entries due to higher priority
- Local jobs have typically higher priority than Grid jobs
- Limited information about the local schedulers is available (privacy)
- Data Management
- Network Management





Example of Grid Scheduling Process



Scheduling Service:

- 1. receives job description
- 2. queries Information Service for static resource information
- 3. prioritizes and pre-selects resources
- 4. queries for dynamic information about resource availability
- 5. queries Data and Network Management Services
- 6. generates schedule for job
- reserves allocation if possible otherwise selects another allocation
- 8. delegates job monitoring to Job Supervisor

Job Supervisor/Network and Data Management: service, monitor and initiate allocation

Example:

40 resources of requested type are found.

12 resources are selected.

8 resources are available.

Network and data dependencies are detected.

Utility function is evaluated.

6th tried allocation is confirmed.

Data/network provided and job is started





Grid Data Management




- Data access and transfer
 - **GASS**: Simple multi-protocol tool to transfer 'normal' files; integrated in GRAM
 - **GridFTP**: Reliable and high-performance file transfer protocol for 'big' files in computer networks
- Replica Management
 - **Replica Catalog**: Service to keep updated information on sets of replicated data
 - Replica Management: Service to create and manage sets of replicated data





GridFTP










Replica Catalog










Replica Management









Reading Assignments



C. Kesselman, et al., The Anatomy of the Grid: Enabling Scalable Virtual Organizations, International
Journal of Supercomputing Applications, pp. 1-25, 2001.

http://www.globus.org/alliance/publications/papers/anatomy.pdf

IBM Redbooks paper, Fundamentals of Grid Computing

http://www.redbooks.ibm.com/redpapers/pdfs/redp3613.pdf

• IBM Redbooks, Introduction to Grid Computing

http://www.redbooks.ibm.com/redbooks/pdfs/sg246778.pdf

Links and additional references provided at:

http://www.cli.di.unipi.it/doku/doku.php/magistraleinformaticanetworking/cpa/start

